

State & County QuickFacts
 
[Select a State](#)
[USA QuickFacts](#)
[What's New](#)
[FAQ](#)

 Texas counties- [selection map](#)

 Texas cities- [place search](#)
[More Texas data sets](#)
[+ Share this page](#)

Select a county

Select a city

Llano County, Texas

Further information

 Want more? [Browse data sets for Llano County](#)

People QuickFacts	Llano County	Texas
Population, 2011 estimate	NA	25,674,681
Population, 2010	19,301	25,145,561
Population, percent change, 2000 to 2010	13.2%	20.6%
Population, 2000	17,044	20,851,820
Persons under 5 years, percent, 2010	4.3%	7.7%
Persons under 18 years, percent, 2010	15.9%	27.3%
Persons 65 years and over, percent, 2010	31.1%	10.3%
Female persons, percent, 2010	51.7%	50.4%

White persons, percent, 2010 (a)	94.9%	70.4%
Black persons, percent, 2010 (a)	0.6%	11.8%
American Indian and Alaska Native persons, percent, 2010 (a)	0.6%	0.7%
Asian persons, percent, 2010 (a)	0.4%	3.8%
Native Hawaiian and Other Pacific Islander, percent, 2010 (a)	Z	0.1%
Persons reporting two or more races, percent, 2010	1.4%	2.7%
Persons of Hispanic or Latino origin, percent, 2010 (b)	8.0%	37.6%
White persons not Hispanic, percent, 2010	89.6%	45.3%

Living in same house 1 year & over, 2006-2010	86.3%	81.5%
Foreign born persons, percent, 2006-2010	3.5%	16.1%
Language other than English spoken at home, pct age 5+, 2006-2010	8.3%	34.2%
High school graduates, percent of persons age 25+, 2006-2010	88.0%	80.0%
Bachelor's degree or higher, pct of persons age 25+, 2006-2010	26.0%	25.8%
Veterans, 2006-2010	2,807	1,635,367
Mean travel time to work (minutes), workers age 16+, 2006-2010	26.0	24.8
Housing units, 2010	14,280	9,977,436
Homeownership rate, 2006-2010	77.9%	64.8%
Housing units in multi-unit structures, percent, 2006-2010	14.6%	24.1%
Median value of owner-occupied housing units, 2006-2010	\$150,700	\$123,500
Households, 2006-2010	8,463	8,539,206

Persons per household, 2006-2010	2.21	2.78
Per capita money income in past 12 months (2010 dollars) 2006-2010	\$29,027	\$24,870
Median household income 2006-2010	\$41,969	\$49,646
Persons below poverty level, percent, 2006-2010	12.6%	16.8%
Business QuickFacts		
	Llano County	Texas
Private nonfarm establishments, 2009	434	519,028 ²
Private nonfarm employment, 2009	3,710	8,925,096 ²
Private nonfarm employment, percent change 2000-2009	7.4%	11.2% ²
Nonemployer establishments, 2009	1,937	1,844,130

Total number of firms, 2007	2,875	2,164,852
Black-owned firms, percent, 2007	F	7.1%
American Indian- and Alaska Native-owned firms, percent, 2007	F	0.9%
Asian-owned firms, percent, 2007	S	5.3%
Native Hawaiian and Other Pacific Islander-owned firms, percent, 2007	F	0.1%
Hispanic-owned firms, percent, 2007	S	20.7%
Women-owned firms, percent, 2007	S	28.2%

Manufacturers shipments, 2007 (\$1000)	0 ¹	593,541,502
Merchant wholesaler sales, 2007 (\$1000)	94,883	424,238,194
Retail sales, 2007 (\$1000)	113,011	311,334,781
Retail sales per capita, 2007	\$6,183	\$13,061
Accommodation and food services sales, 2007 (\$1000)	61,053	42,054,592
Building permits, 2010	197	88,461
Federal spending, 2009	147,093	216,379,449 ²

Geography QuickFacts		
	Llano County	Texas
Land area in square miles, 2010	934.03	261,231.71
Persons per square mile, 2010	20.7	96.3
FIPS Code	299	48
Metropolitan or Micropolitan Statistical Area	None	

1: Counties with 500 employees or less are excluded.

2: Includes data not distributed by county.

[Download these tables - delimited](#) | [Download these tables - Excel](#) | [Download the full data set](#)

Population estimates for counties will be available in April, 2012 and for cities in June, 2012.

(a) Includes persons reporting only one race.

(b) Hispanics may be of any race, so also are included in applicable race categories.

D: Suppressed to avoid disclosure of confidential information

F: Fewer than 100 firms

FN: Footnote on this item for this area in place of data

NA: Not available

S: Suppressed; does not meet publication standards

X: Not applicable

Z: Value greater than zero but less than half unit of measure shown

[What do you think of QuickFacts?](#)

Source U.S. Census Bureau: State and County QuickFacts. Data derived from Population Estimates, American Community Survey, Census of Population and Housing, State and County Housing Unit Estimates, County Business Patterns, Nonemployer Statistics, Economic Census, Survey of Business Owners, Building Permits, Consolidated Federal Funds Report

Last Revised: Tuesday, 31-Jan-2012 16:58:21 EST

[Privacy Policy](#) | [2010 Census](#) | [Data Tools](#) | [Information Quality](#) | [Product Catalog](#) | [Contact Us](#) | [Home](#)

	Llano County	Error Margin	National Benchmark*	Texas	Rank (of 221)
Health Outcomes					97
Mortality					153
Premature death	9,374	7,626-11,121	5,466	7,186	
Morbidity					26
Poor or fair health			10%	19%	
Poor physical health days	4.5	1.4-7.6	2.6	3.6	
Poor mental health days	2.3	0.0-5.3	2.3	3.3	
Low birthweight	6.7%	5.2-8.2%	6.0%	8.2%	
Health Factors					18
Health Behaviors					25
Adult smoking	18%	10-29%	14%	19%	
Adult obesity	27%	20-33%	25%	29%	
Physical inactivity	30%	23-38%	21%	25%	
Excessive drinking			8%	16%	
Motor vehicle crash death rate	19	11-26	12	17	
Sexually transmitted infections	130		84	435	
Teen birth rate	67	57-76	22	63	
Clinical Care					12
Uninsured	24%	22-26%	11%	26%	
Primary care physicians	678:1		631:1	1,050:1	
Preventable hospital stays	69	62-76	49	73	
Diabetic screening	86%	77-94%	89%	81%	
Mammography screening	64%	56-71%	74%	62%	
Social & Economic Factors					83
High school graduation	94%			84%	
Some college	53%	42-63%	68%	56%	
Unemployment	7.5%		5.4%	8.2%	
Children in poverty	30%	22-38%	13%	26%	
Inadequate social support	17%	10-26%	14%	23%	
Children in single-parent households	40%	28-53%	20%	32%	
Violent crime rate	126		73	503	
Physical Environment					51
Air pollution-particulate matter days	0		0	1	
Air pollution-ozone days	0		0	18	
Access to recreational facilities	11		16	7	
Limited access to healthy foods	4%		0%	12%	
Fast food restaurants	58%		25%	53%	

* 90th percentile, i.e., only 10% are better

Note: Blank values reflect unreliable or missing data

2012



Llano County
POTENTIALLY PREVENTABLE HOSPITALIZATIONS

www.dshs.state.tx.us/ph

From 2005-2010, adult residents (18+) of **Llano County** received **\$20,010,951** in charges for hospitalizations that were potentially preventable. Hospitalizations for the conditions below are called “**potentially preventable**,” because **if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.**

Potentially Preventable Hospitalizations for Adult Residents of Llano County	Number of Hospitalizations							2005-2010		
	2005	2006	2007	2008	2009	2010	2005-2010	Average Hospital Charge	Hospital Charges	Hospital Charges Divided by 2010 Adult County Population
Bacterial Pneumonia	76	148	78	38	33	69	442	\$14,082	\$6,224,144	\$384
Dehydration	12	34	20	14	0	5	85	\$14,909	\$1,267,276	\$78
Urinary Tract Infection	27	45	45	36	39	39	231	\$9,998	\$2,309,520	\$142
Angina (without procedures)	0	8	0	0	0	0	0	\$0	\$0	\$0
Congestive Heart Failure	48	58	46	38	28	31	249	\$16,039	\$3,993,835	\$246
Hypertension (High Blood Pressure)	0	6	6	0	8	11	31	\$16,144	\$500,460	\$31
Asthma	11	13	10	7	13	6	60	\$11,541	\$692,437	\$43
Chronic Obstructive Pulmonary Disease	31	39	29	27	24	42	192	\$16,153	\$3,101,422	\$191
Diabetes Short-term Complications	5	0	0	0	0	0	0	\$0	\$0	\$0
Diabetes Long-term Complications	17	11	14	11	5	12	70	\$27,455	\$1,921,858	\$118
TOTAL	227	362	248	171	150	215	1,360	\$14,714	\$20,010,951	\$1,233

Source: Center for Health Statistics, Texas Department of State Health Services

The number of hospitalizations is likely greater than what is reported, because there is no hospital in the county or the hospital(s) is not required to report data to DSHS. Annual hospitalizations less than 5 and hospitalizations less than 30 for 2005-2010 are reported as 0.

The purpose of this information is to assist in improving healthcare and reducing healthcare costs.

This information is not an evaluation of hospitals or other healthcare providers.

Bacterial Pneumonia is a serious inflammation of the lungs caused by an infection. Bacterial pneumonia primarily impacts older adults. [Communities can potentially prevent hospitalizations by encouraging older adults and other high risk individuals to get vaccinated for bacterial pneumonia.](#)

Dehydration means the body does not have enough fluid to function well. Dehydration primarily impacts older adults or institutionalized individuals who have a limited ability to communicate thirst. [Communities can potentially prevent hospitalizations by encouraging attention to the fluid status of individuals at risk.](#)

Urinary Tract Infection (UTI) is usually caused when bacteria enter the bladder and cause inflammation and infection. It is a common condition, with older adults at highest risk. In most cases, an uncomplicated UTI can be treated with proper antibiotics. [Communities can potentially prevent hospitalizations by encouraging individuals to practice good personal hygiene; drink plenty of fluids; and \(if practical\) avoid conducting urine cultures in asymptomatic patients who have indwelling urethral catheters.](#)

Angina (without procedures) is chest pain that occurs when a blockage of a coronary artery prevents sufficient oxygen-rich blood from reaching the heart muscle. [Communities can potentially prevent hospitalizations by encouraging regular physical activity; smoking cessation; controlling diabetes, high blood pressure, and abnormal cholesterol; maintaining appropriate body weight; and daily administration of an anti-platelet medication \(like low dose aspirin\) in most individuals with known coronary artery disease.](#)

Congestive Heart Failure is the inability of the heart muscle to function well enough to meet the demands of the rest of the body. [Communities can potentially prevent hospitalizations by encouraging individuals to reduce risk factors such as coronary artery disease, diabetes, high cholesterol, high blood pressure, smoking, alcohol abuse, and use of illegal drugs.](#)

Hypertension (High Blood Pressure) is a syndrome with multiple causes. Hypertension is often controllable with medications. [Communities can potentially prevent hospitalizations by encouraging an increased level of aerobic physical activity, maintaining a healthy weight, limiting the consumption of alcohol to moderate levels for those who drink, reducing salt and sodium intake, and eating a reduced-fat diet high in fruits, vegetables, and low-fat dairy food.](#)

Asthma occurs when air passages of the lungs become inflamed and narrowed and breathing becomes difficult. Asthma is treatable, and most flare-ups and deaths can be prevented through the use of medications. [Communities can potentially prevent hospitalizations by encouraging people to learn how to recognize particular warning signs of asthma attacks. Treating symptoms early can result in prevented or less severe attacks.](#)

Chronic Obstructive Pulmonary Disease is characterized by decreased flow in the airways of the lungs. It consists of three related diseases: asthma, chronic bronchitis and emphysema. Because existing medications cannot change the progressive decline in lung function, the goal of medications is to lessen symptoms and/or decrease complications. [Communities can potentially prevent hospitalizations by encouraging education on smoking cessation and minimizing shortness of breath.](#)

Diabetes Short-term Complications are extreme fluctuations in blood sugar levels. Extreme dizziness and fainting can indicate hypoglycemia (low blood sugar) or hyperglycemia (high blood sugar), and if not brought under control, seizures, shock or coma can occur. Diabetics need to monitor their blood sugar levels carefully and adjust their diet and/or medications accordingly. [Communities can potentially prevent hospitalizations by encouraging the regular monitoring and managing of diabetes in the outpatient health care setting and encouraging patient compliance with treatment plans.](#)

Diabetes Long-term Complications include risk of developing damage to the eyes, kidneys and nerves. Risk also includes developing cardiovascular disease, including coronary heart disease, stroke, and peripheral vascular disease. Long-term diabetes complications are thought to result from long-term poor control of diabetes. [Communities can potentially prevent hospitalizations by encouraging the regular monitoring and managing of diabetes in the outpatient health care setting and encouraging patient compliance with treatment plans.](#)

For more information on potentially preventable hospitalizations, go to: www.dshs.state.tx.us/ph.

Llano County Health Environment Notes & Related Data

Llano County Health Clinics

<u>Name/Location</u>	<u>Providers</u>	<u>Type of Facility</u>
Scott & White Hoerster Clinic 102 East Young Street Llano, Texas	7 Family Practice MD 1 PA-C	

Llano Memorial Healthcare System

1100 Ford Street • Llano, Texas

As we approach 53 years of service, our healthcare system provides illness, wellness and specialty care in the clinic setting, as well as complete hospital services - obstetric, surgical, laboratory, diagnostic imaging including CT and MRI, and nuclear medicine to residents and visitors of Llano and surrounding counties. We have also forged a dynamic relation with Scott & White Healthcare for the management of Llano Memorial Healthcare System and for the development of a state of the art 90 to 120-bed facility, the Lake of the Hills Regional Medical Center. This new regional medical center will be conveniently located at the junction of Hwys 281 and 71 in Marble Falls and will provide services there are not currently available in the area.

Services

- Emergency Department
- Imaging center
- Laboratory
- Perinatal Services
- Home Care
- Hospice
- Surgery
- Rehabilitation Services
- Emergency Medical Services

UTILIZATION DATA FOR TEXAS ACUTE CARE HOSPITALS BY COUNTY, 2010

<i>Hospital</i>	<i>Metro-Status</i>	<i>Ownership</i>	<i>Days Open</i>	<i>Staffed Beds</i>	<i>Admissions</i>	<i>Inpatient Days</i>	<i>Medicare Inpatient Days</i>	<i>Medicaid Inpatient Days</i>	<i>Average Daily Census</i>	<i>Average Length of Stay</i>	<i>Staffed Occupancy Rate%</i>
<i>Llano Memorial</i>	<i>Non-Metro</i>	<i>Public</i>	365	26	1166	3074	1922	609	8.4	2.6	32.4

Source: 2010 Cooperative DSHS/AHA/THA Annual Survey of Hospitals and Hospitals Tracking Database

CHARITY CARE CHARGES AND SELECTED FINANCIAL DATA FOR TEXAS ACUTE CARE HOSPITALS BY COUNTY, 2010

<i>Hospital</i>	<i>Ownership</i>	<i>Bad Debt Charges</i>	<i>Charity Charges</i>	<i>Total UC Care</i>	<i>Net Patient Revenue</i>	<i>Gross Inpatient Revenue</i>	<i>Gross Outpatient Revenue</i>	<i>Total Gross Patient Revenue</i>	<i>UC Care as % of Gross Patient Revenue</i>
<i>Llano Memorial</i>	<i>Public</i>	\$2,856,686	\$204,256	\$3,060,942	\$27,299,928	\$7,620,823	\$42,346,481	\$49,967,304	6.1

Source: 2010 Cooperative DSHS/AHA/THA Annual Survey of Hospitals and Hospital Tracking Database

Llano County Health and Community Data DSHS Health Currents System

www.dshs.state.tx.us/chs/healthcurrents

	Year	Llano County	Region 7	Texas
Acute Care Hospitals	2009	1	57	553
Psychiatric Hospitals	2009	0	6	43
Acute Care For-Profit Hospitals	2009	0	18	279
Acute Care Non-Profit Hospitals	2009	0	33	151
Acute Care Public Hospitals	2009	1	6	123
Beds Setup and Staffed for Acute Care	2009	28	5,630	64,022
Beds Setup and Staffed for Obstetrics Care	2009	3	659	5,961
Acute Care Licensed Beds	2009	30	6,708	78,368
Psychiatric Care Licensed Beds	2009	0	652	5,450

Hospital Resources

	Year	Llano County	Region 7	Texas
Direct Care Physicians	2010	19	5,185	41,191
Primary Care Physicians	2010	13	2,252	17,526
Physician Assistants	2010	5	622	4,943
Registered Nurses	2010	83	19,024	176,498
Licensed Vocational Nurses	2010	60	7,690	71,141
Nurse Practitioners	2010	1	724	6,162
Dentists	2010	8	1,376	11,301
Pharmacists	2010	13	2,288	20,428
Chiropractors	2010	2	639	4,767
Veterinarians	2010	5	1,151	5,734
EMS Personnel	2010	46	7,779	56,381

Health Occupations

	Year	Llano County	Region 7	Texas
Direct Care Physicians Ratio	2010	98.2	177.0	162.3
Primary Care Physicians Ratio	2010	67.2	76.9	69.1
Physician Assistants Ratio	2010	25.8	21.2	19.5
Registered Nurses Ratio	2010	429.1	649.5	695.6
Licensed Vocational Nurses Ratio	2010	310.2	262.5	280.4
Nurse Practitioners Ratio	2010	5.2	24.7	24.3
Dentists Ratio	2010	41.4	47.0	44.5
Pharmacists Ratio	2010	67.2	78.1	80.5
Chiropractors Ratio	2010	10.3	21.8	18.8
Veterinarians Ratio	2010	25.8	39.3	22.6
EMS Personnel Ratio	2010	237.8	265.6	222.2

Ratio of 2009 Population per Health Care Professional

	Year	Llano County	Region 7	Texas
18 Years and Younger, Without Health Insurance	2007	568	132,294	1,375,714
18 Years and Younger, Without Health Insurance (%)	2007	17.1%	17.3%	19.5%
Younger than 65 Years, Without Health Insurance	2007	2,993	611,604	5,765,126
Younger than 65 Years, Without Health Insurance (%)	2007	23.1%	24.7%	26.8%

Health Insurance

	Year	Llano County	Region 7	Texas
Average Monthly TANF Recipients	SFY2009	1	2,788	104,693
Average Monthly SNAP (food stamp) Participants	SFY2009	1,346	271,789	2,819,469
Unduplicated Medicaid Clients	SFY2009	2,936	476,113	4,760,721
Unemployment Rate	2010	7.5%	7.2%	8.2%
Per Capita Personal Income	2010	\$36,634	\$36,225	\$38,609
Average Monthly CHIP enrollment	FY2008	300	37,184	466,242

Socioeconomic Indicators

	Year	Llano County	Region 7	Texas
Total Persons Living Below Poverty	2009	2,380	442,754	4,143,077
Total Persons Living Below Poverty (%)	2009	13.2%	15.9%	17.1%
Related Children 0-17 Years, Living Below Poverty	2009	821	144,890	1,655,085
Related Children 0-17 Years, Living Below Poverty (%)	2009	26.6%	20.3%	24.3%
18 Years and Over, Living Below Poverty	2009	1,559	297,864	2,487,992
18 Years and Over, Living Below Poverty (%)	2009	10.4%	14.4%	14.3%

Poverty

Health Professional Shortage Area Designations – Llano County

Source: <http://hpsafind.hrsa.gov/HPSASearch.aspx>

- Primary Medical Care – 0 HPSAs for this county
- Dental – 0 HPSAs for this county
- Mental Health – Single County